



SPRAYMART

FLOOR CARE AND PRESSURE WASH SUPPLY

CATALOG PREVIEW



**FLOOR CARE
AFTERMARKET PARTS**

2023 CATALOG

FLOOR CARE AFTERMARKET PARTS

This catalog contains a complete listing of Spraymart parts by product category. You will find detailed descriptions, dimensions, recommended usages, and images of Spraymart items.

For your convenience there are three features in this section to enable you to find the correct part. First, we have classified the listings under certain categories according to OEM and OEM part number. Second, many categories contain OEM machine reference charts that let you search for parts based on a specific machine. You will find this helpful in locating items such as batteries, battery chargers or vacuum motors. Finally, we have included alphabetical part listings with detailed descriptions and photo indexes.

At Spraymart, we're very excited about this new catalog and look forward to your comments and suggestions on how to better serve you!

POLICIES

PAYMENT TERMS

Approved accounts - Net 30 days from date of invoice.

PAYMENT METHODS

Visa, MasterCard, AMEX, or Open Account with approved credit.

RETURNED CHECKS

There will be a service charge of \$25.00 on each returned check.

FREIGHT

All orders are F.O.B. Blackwood, NJ or Fayetteville, Arkansas. Part orders under \$400 are subject to a \$12.95 handling fee or standard freight billed - whichever is higher. Parts orders exceeding \$400 (excluding batteries, engines) will be shipped freight-free within the continental U.S. and Canada. Carrier selection is at the discretion of Spraymart. (Blue label or red label charges are not included in free freight offer). All other shipments will incur the appropriate freight and handling charges.

- The freight program only applies to orders shipped via standard ground/truck service.
- Freight program applies to shipping destinations in the U.S. lower 48 states and Canada only.
- Qualifying international orders (delivery outside of the continental U.S. or Canada) ship pre-paid freight to any port embarkation in the continental U.S. The pre-paid freight applies only to shipments to any continental North American location (excludes AK and HI).
- Spraymart chooses the ground carrier based on prompt service and affordable price.
- Orders must have one shipping destination for the freight program to be applied. Multiple destinations will be treated as separate orders when determining freight program thresholds.
- Expedited, air freight, express courier (next day, 2nd day) or special delivery are excluded and will be billed freight with minimum of \$12.95.
- Freight determination is on the total order value. One order may have shipments - deliveries from more than one KNA location.

Transportation companies are responsible for any shipment damages or discrepancies once shipment has left the Spraymart warehouse. Carefully inspect all packages before accepting from carrier. Truck shipments require a claim to be submitted directly to the carrier or the claim may not be honored. U.P.S.

shipment damage requires inspection of the package by a U.P.S. Inspector. Any concealed damage must be claimed to the carrier within 10 days of receipt. Original shipping container must be kept until claim is reconciled. Please notify Spraymart of any shortages.

BACK ORDERS

Parts temporarily out of stock will be automatically shipped and invoiced when available unless order indicates "do not ship back order". Appropriate shipping charges will be added to the invoice.

PRICING: All prices are subject to availability, and may change without notice. Please verify at time of order.

WARRANTY

Spraymart parts are warranted for 90 days from date of purchase to be free of defects in materials and workmanship, excluding batteries, battery chargers, motors and pumps which carry their own 1 year manufacturer's warranty. Items damaged due to abuse, accidental damage, improper use or lack of care are not covered by warranty. Normal wear parts including cords, rubber items, hoses, and brushes are excluded from warranty. All warranties must have prior authorization by Spraymart to qualify for reimbursement. All warranty inquiries should be directed to your Customer Service Representative. The foregoing is in lieu of all other warranties, expressed or implied, and constitute Spraymart's only obligation with respect to parts. Spraymart assumes no liability for individual or consequential damages.

RETURNS

No return of parts will be accepted without prior approval by Spraymart. A complete Return Goods Authorization must accompany all returns and can be obtained by contacting your Customer Service Representative. All returned merchandise will be charged a 20% restocking fee unless covered by warranty or shipped in error. Merchandise for return must be filed within 30 days of receipt. Issued returns are only valid for 30 days. After 30 days return authorizations will be voided. Freight charges on all product(s) returned including warranted parts are the responsibility of the customer. All returned merchandise must be sent pre-paid by UPS or FEDEX Ground only. No COD shipments will be accepted.

TABLE OF CONTENTS

■ BAGS	4
■ BATTERIES	6
■ BEARINGS	8
■ BELTS	9
■ BRUSHES	12
■ CHAINS	32
■ CHARGERS	33
■ COUPLERS, FITTINGS & FILTERS	38
■ CORDS	54
■ DISINFECTANT	56
■ DRIVE UNITS	57
■ ELECTRICAL COMPONENTS	59
■ FILTERS	68
■ GASKETS	70
■ HOSES	72
■ MOTORS	76
■ PLASTIC FITTINGS	78
■ PROPANE BURNISHER PARTS	79
■ PUMPS	84
■ SUPPLIES	86
■ SOLUTION TANKS	88
■ SQUEEGEES	89
■ VACUUM MOTORS	104
■ VACUUM PARTS	112
■ VALVES	113
■ WHEELS	116

BAGS - CLOTH, PAPER



6.904-301.0

6.904-305.0

8.661-822.0

8.663-313.0

8.663-314.0

8.663-317.0

8.663-351.0



8.665-858.0



8.667-756.0



8.671-749.0



8.672-042.0



8.684-820.0



8.684-830.0



8.684-832.0

ELECTROLUX

OEM	PART NO.	DESCRIPTION
TYPE U, 423513	8.684-838.0	BAGS, PAPER, 10PK, ELECTROLUX (U)

EUREKA - SANITAIRE

OEM	PART NO.	DESCRIPTION
25544-2	8.671-749.0	RED ZIPPER BAG W/SPRING
54582-2	8.672-042.0	BLACK CLOTH BAG, TOP FILL, W/SLIDE & SPRING
62100	8.684-838.0	BAGS, PAPER, 10PK, ELECTROLUX (U)
62112	8.663-313.0	BAG, PAPER 6QT.10/PK
24716C-7	8.663-351.0	RED TOP FILL CLOTH BAG, W/ SLIDE & SPRING
F&G, 52320A	8.684-830.0	PAPER BAG (3 PACK) (F&G)

HOOVER

OEM	PART NO.	DESCRIPTION
TYPE A, 4010001A	8.663-317.0	PAPER BAG (PK) HOOVER,A

NILFISK-ADVANCE, CLARKE, EUROCLEAN

OEM	PART NO.	DESCRIPTION
50700A	8.663-351.0	RED TOP FILL CLOTH BAG, W/ SLIDE & SPRING
50704A, 50721A, 50721B	8.684-832.0	BAGS, FILTER (10 PACK) (QBA) - COMBIVAC
56630387, 56630761, 56630874, 56648423	8.672-042.0	BLACK CLOTH BAG, TOP FILL, W/SLIDE & SPRING
56330690	8.665-858.0	VAC BAG 3PK, CARPETRETRIVER
56703035	8.663-317.0	PAPER BAG (PK) HOOVER, A

NILFISK-ADVANCE, CLARKE, EUROCLEAN (CONT.)

OEM	PART NO.	DESCRIPTION
1406905010, 1406905020	8.684-846.0	BAGS, FILTER (10 PACK) - UZ934
1407015020, 1407015040	8.684-844.0	BAGS, FILTER (10 PACK) UZ930, MB39CV
1408618000, 1408618010, 82367810, 82222900, 82367805	9.101-198.0	DUST BAG 9.0 LITER 5 PKG
1471058500, 107413584	8.688-959.0	PAPER BAG 10/PK W/2 PREFILTER
56703768, 56704181	8.684-820.0	BAGS, FILTER (10 PACK) - 152B DURAVAC

NSS

OEM	PART NO.	DESCRIPTION
6790091	8.663-313.0	BAG, PAPER 6QT.10/PK
7190451	6.904-301.0	FILTER BAG CLOTH
7190461	9.102-065.0	PAPER VAC BAG,WHITE 10/ PACK
7190471	6.904-305.0	FILTER BAG FLEECE 10 PK

PERFECT

OEM	PART NO.	DESCRIPTION
11-1207	8.671-749.0	RED ZIPPER BAG W/SPRING
15-1803	8.663-314.0	BAG, PAPER 10 QT.10/PK


8.684-834.0

8.684-836.0

8.684-838.0

8.684-844.0

8.684-846.0

8.684-861.0

8.688-959.0

8.809-005.0

9.100-751.0

9.101-198.0

9.102-065.0

9.102-696.0

PROTEAM

OEM	PART NO.	DESCRIPTION
100331	8.663-314.0	BAG, PAPER 10 QT.10/PK
100431	8.663-313.0	BAG, PAPER 6QT.10/PK
100564	8.667-756.0	MICRO CLOTH FILTER TAILVAC, QUARTERVAC, PR
103483	8.684-838.0	BAGS, PAPER, 10PK, ELECTROLUX (U)
107313	8.809-005.0	PAPER BAG, 10/PK- SUPER COACH PRO 10
107314	9.102-696.0	PAPER BAG, 10/PK- SUPER COACH PRO 6

PULLMAN-HOLT

OEM	PART NO.	DESCRIPTION
TYPE A, 4010001A	8.684-838.0	BAGS, PAPER, 10PK, ELECTROLUX (U)

SANDIA

OEM	PART NO.	DESCRIPTION
10-0197	8.663-313.0	BAG, PAPER 6QT.10/PK
10-0006	8.663-314.0	BAG, PAPER 10 QT.10/PK

TENNANT-NOBLES-CASTEX

OEM	PART NO.	DESCRIPTION
612084	8.663-313.0	BAG, PAPER 6QT.10/PK
612299	8.667-756.0	MICRO CLOTH FILTER TAILVAC, QUARTERVAC, PR
1067455	8.684-834.0	BAGS, FILTER (10 PACK) LITE TRAC, VIPER
1067456	8.684-836.0	BAG, FILTER (10 PACK) MAGNA TWIN, S-VAC
1068847	8.684-861.0	BAGS, FILTER (10 PACK) PORTAPAC, STRAP-A

TORNADO

OEM	PART NO.	DESCRIPTION
K69042940	9.100-751.0	PAPER VACUUM BAG 10/PACK
K69043010	6.904-301.0	FILTER BAG CLOTH
K69043050	6.904-305.0	FILTER BAG FLEECE 10 PK

SPRAYMART HELPS YOU SAVE TIME AND MONEY WITH OUR INDUSTRIAL BRUSH LINE.

CYLINDRICAL SWEEPING BRUSHES (MAIN BROOMS)

Our main brooms are designed for maximum performance. Built with the highest quality bristle materials, staple set to heavy duty precision extruded cores.

A variety of bristle materials and patterns are available to meet different sweeping conditions.

6 AND 8 DOUBLE ROW (LOW DENSITY) – ARE BEST FOR GENERAL PURPOSE SWEEPING. SPACING BETWEEN THE ROWS ALLOW FOR THE PICK UP OF BULKIER LITTER.

- Nylon – 6 or 8 row design – a great choice for most litter and surface conditions. Longest lasting and good hopper loading – medium dust conditions – OK for high temperatures – not for wet conditions.
- Polypropylene – 6 or 8 row design – a good economical selection for most litter and surface conditions. Good brush life – for medium dust conditions – retains stiffness when wet – not for higher temperature debris.
- Polypropylene and Wire – 6 or 8 row design – stiff poly bristles for loading debris and wire to loosen encrusted dirt – for light dust conditions – retains stiffness when wet – not for higher temperature debris.
- Crinkle Wire – 6 or 8 row design – used when aggressively sweeping heavy compacted dirt. Recommended for dry, low dust sweeping – OK for high temperatures.
- Fiber and Wire – 6 or 8 row design – combines fiber for light to moderate dust conditions with wire for loosening lightly compacted dirt and better hopper loading.
- Nylon Patrol design – excellent brush life – the “V” shaped pattern is for sweeping large area at high speeds – superior hopper loading – not for wet sweeping.
- Proex – 6 or 8 row design – this blended polypropylene brush is an excellent choice for all purpose sweeping. Retains stiffness in wet conditions – not for high temperature sweeping – good for picking up paper, sand, gravel and lighter less bulky litter.
- Proex and Wire – 6 or 8 row design – more aggressive sweeping than Proex – with wire added for loosening compacted dirt and loading of heavier debris.
- Union Mix (Natural Fiber) – 6 or 8 row design – this natural fiber material is used for dust and smaller light debris. Not recommend for wet applications.
- Polypropylene Sand Wedge design – this intense zigzag wedge pattern is for picking up fine debris. Poly remains stiff in wet conditions.

18 AND 24 SINGLE ROW (HIGH DENSITY – FULL FILL) – THE CHOICE FOR FINE HEAVY DUST CONDITIONS, INCLUDING SAND AND MINIMAL LIGHT DEBRIS.

- Nylon – 18 or 24 Single Row – long lasting nylon – excellent choice for severe dry dust conditions – ideal for rough surfaces – not for wet sweeping.
- Fiber and Wire – 18 or 24 Single Row – dense natural fiber for heavy dust conditions – with wire added for loosening light compacted dirt.

EXTENDING MAIN BROOM LIFE & MAXIMIZING PERFORMANCE

To lengthen brush life, rotate the main broom, end to end, after 20 hours of operation. This prevents the bristles from becoming set or worn in one direction. Only operate the brush in the full down or floating position on very uneven floors. Doing so leads to premature bristle wear.

For even bristle wear and proper performance, periodically test the brush pattern for proper adjustment.

This is done by making or burning a pattern on the floor or pavement. With the machine stopped, lower the rotating main broom for about 30 seconds. Without moving the machine, raise the brush and move the machine. When properly adjusted the pattern should be rectangular and 2”-2.5” wide.

A thinner pattern doesn’t allow enough bristle contact for flicking debris into the hopper and uneven surfaces. A wider pattern leads to premature bristle wear.

Properly Adjusted Main Broom



Improper Main Broom Pattern



SIDE SWEEPING BRUSHES


Made in a variety of diameters to meet OEM specifications, our side brooms are made using long lasting quality materials.

- Polypropylene - most commonly used economical material for general purpose sweeping. Retains its stiffness when wet - not for high temperature debris.
- Nylon - same sweeping characteristics as poly - longer lasting - not for wet sweeping.
- Flat Wire - for outdoor heavy duty sweeping of high temperature debris, wet mud and compacted materials.

EXTENDING SIDE BRUSH LIFE & MAXIMIZING PERFORMANCE

The purpose of side brush is to move debris away from a curb, wall or structure, so it can be picked up by the main broom. To prevent debris from being moved away from the machine and premature brush wear, the side brush should be properly adjusted.

Ideal brush angle for proper contact with the floor



CYLINDRICAL SCRUB BRUSHES/ROTARY SCRUB BRUSHES

Spraymart cylindrical and circular rotary brushes were designed to meet or exceed the specifications of the OEM, for fit and performance. We offer a wide spectrum of bristle materials, suited for light duty through heavy aggressive scrubbing requirements. The number of rows (12, 14, 18, 20, and 24) vary by brush and OEM standards.


Our top quality rotary brushes come with clutch plates or mounting hardware. Full fill pattern offers contact on uneven floors.

- Polypropylene - economical choice for general purpose light to medium duty aggression.
- Stiff Polypropylene - a more aggressive alternative to poly.
- Nylon - longer lasting than poly, a good choice for general purpose light to moderate scrubbing.
- Prolene - polypropylene material for medium-duty scrubbing. Used on concrete, terrazzo and vinyl tile.
- Grit - silicone carbide particles impregnated in each bristle for mild to very aggressive scrubbing - long lasting.
 - 46 Grit for the most aggressive scrubbing of concrete, terrazzo.
 - 80 Grit for moderate to aggressive scrubbing of concrete, terrazzo, and quarry tile.
 - 180 Grit for lighter to moderate scrubbing of concrete, terrazzo, quarry tile, vinyl.
 - 240 Grit for general cleaning of concrete, terrazzo, and quarry tile.
 - 500 Grit very light scrubbing of terrazzo, quarry tile, marble, vinyl tile, rubber floors.
- Polyester - very long lasting high quality brush for general duty scrubbing - suitable for painted or epoxy coated floors.

EXTENDING CYLINDRICAL BRUSH LIFE & MAXIMIZING PERFORMANCE

For even bristle wear and proper performance, periodically test the brush pattern for proper adjustment. This is done by making or burning a pattern on the floor or pavement. With the machine stopped, lower the rotating scrub brushes for about 30 seconds. Without moving the machine, raise the brushes and move the machine. If the pattern is even across the brush width, the brushes are adjusted properly.

When rotating cylindrical scrub brushes, rotate the front brush to the rear. They can be flipped end to end as well.



SHORT-TRIM PAD DRIVERS

Our short-trim pad drivers are made with shower feed molded plastic blocks and stiff poly bristle fill. Staggered bristle length grips the pad, while center-lock pad holders are included, for excellent pad gripping performance.

BREUER-TORNADO



8.661-873.0

OLD GRACO NO.	PART NO.	OEM	DESCRIPTION	FITS MACHINE
WA-1	8.661-873.0	14530	5 3/8" Poly Swivel Caster Green Non-Marking	9300/Mid Range, 9400/H Series, 24", 28"
WA-1-W	8.661-631.0	14528	Wheel Only For WA-1, Green	9300/Mid Range, 9400/H Series, 24", 28"
WA-10	8.661-854.0	10587	Bumper Wheel-3"x.9"x3/8" Bore	9300/Mid Range, 9400/H Series, 24", 28" Breuer Tornado Glazer
WC-4	8.660-848.0	12508	4" Rubber Swivel Caster Grey	9200
WT-1	8.685-613.0	13817, 13757	10 x 2 Poly Wheel Silver/Green Trim .75 Shaft Diameter	9300 & 9400

CLARKE



8.660-611.0



8.660-848.0



9.104-398.0

OLD GRACO NO.	PART NO.	OEM	DESCRIPTION	FITS MACHINE
MC-29	8.660-331.0	60154A	Shaft for WC-5-VA	Vision
WA-1-A	8.661-631.0	890554	Axle for WC-3	TB-24,TB-32, Leader Automatics
WA-1-B	8.685-534.0	902704	Caster Bearing for WC-3	TB-24,TB-32, Leader Automatics
WA-7	8.660-332.0	439704, 419702	Bumper Wheel-2 1/2" x 3/8" Bumper Wheel, Grey	TB-24, TB-32, Vision
WC-2	8.660-644.0	809059	Tire Tube to Fit WC-11	TB-24, TB-32
WC-3. For high-quality version, see 9.104-398.0	8.660-611.0	899713, 899769, 899716	5" Poly Swivel Caster Assy Maroon/Red	TB-24,TB-32, Leader 2400 SII, 2400D SII, 2400HD SII, 3200 SII,Vision 21I, 26I, 26IX, 32I, 32IX, 38I, Ultra Speed 322 SII, 3220, Encore L28, S28, L33, S33, L38, S38, Fusion 20I, 20IX
	8.663-713.0	50397A, 98629A	6" Wheel, Gray Rubber, 3/8" Bore	A.L. COOKE PROPANE
WC-3-W	8.660-612.0	899714, 899765	Wheel Only for WC-3	TB-24,TB-32, Leader Automatics
WC-4	8.660-848.0	19603A, 59944	4" Rubber Swivel Caster Grey	18,21,BP20,LV-30, 202, 2000B
WC-5-V	9.105-718.0	59950A	Drive Wheel	Leader & Vision Series
WC-6	8.660-599.0	899761	WHEEL, GRAY RUBBER 3.5"X1.25"X.5" BORE	Vision 21I, 26I, 26IX, 32I, 32IX, 38I Encore S20, L20, S28, L28, S33, L33, S38, L38
	8.688-749.0	50968A	Caster Assy Dual wheel	Boost 28, 32, Encores2426
WC-18	9.848-093.0	419752	Grey Non-Marking Tire & Rim Assy. 4.1 x 3.5-6	TB-24, TB-32
WC-23	8.685-567.0	30181A, 419752, 804545	4" Wheel 4X1X1/2" Bore	Direct Speed 20
WA-10	8.661-854.0	7-89-08023	BUMPER WHEEL 3"x.9"x3/8" BORE	
WAL-7	8.669-297.0	7-89-08033	CASTER - SQUEEGEE	
WC-3	8.660-611.0	91043980	CASTER; 5X2 SWIVEL, KINGPINLESS FORK	721, 726, 730, 930, 936

EAGLE

OEM	PART NO.	DESCRIPTION
1200	8.606-152.0	6" x 1-1/2" Gray Rubber Wheel
1205	8.663-702.0	6" Wheel w/Bracket

KENT

OLD GRACO NO.	PART NO.	OEM	DESCRIPTION	FITS MACHINE
WC-3 For high-quality version, see 9.104-398.0	8.660-611.0	56055657, 56055658, 56440450	5" Poly Swivel Caster	18,21,BP20,LV-30, 202, 2000B
WK-4	9.848-131.0	56052218	6" Wheel Black 1" width, 3/4" shaft, 1/2" hole dia.	KF-2000E

MERCURY

OLD GRACO NO.	PART NO.	OEM	DESCRIPTION	FITS MACHINE
WM-1	8.661-727.0	M-250	6" Diameter Wheel Black	Burnishers

MINUTEMAN


8.660-872.0

OLD GRACO NO.	PART NO.	OEM	DESCRIPTION	FITS MACHINE
WA-3	8.660-872.0	762333	Swivel Caster w/ Bolted Flange 3 1/2" x 1 1/4" Grey	M2200, M-24, M-32,200
WA-5	8.660-874.0	762332	8 x 2 Rubber Wheel w/ 3/4 Bearing	260
WA-10	8.661-854.0	808829	Bumper Wheel Black, 3.00 x .781 to 3"x.9"x3/8"Bore	260, 265, 320
WC-3 For high quality version, see 9.104-398.0	8.660-611.0	827110	5" Poly Swivel Caster	200
	8.664-026.0	430325	Caster 2.5" Dia.	

NILFISK/ADVANCE


8.672-584.0

8.661-873.0

8.660-940.0

8.660-873.0

8.662-656.0

8.663-468.0

9.848-678.0

OLD GRACO NO.	PART NO.	OEM	DESCRIPTION	FITS MACHINE
	8.672-584.0	56365555, 56365629	Caster Swivel 4.0 x 2.0	Many Advance Scrubbers
WA-2	8.660-873.0	56391110	Wheel 6 x 1-1/2	Whirlamatic 2500 & 20UHSB
WA-3	8.660-872.0	56206725	Swivel Caster w/Bolted Flange 3-1/2x1-1/4 Grey	20B, 134B
WA-4	9.848-133.0	56365610	8 x 2 Rubber Wheel w/5/8 Bearing	17,20
WA-5	8.660-874.0	56362336	8 x 2 Rubber Wheel w/3/4 Bearing	18,21
WA-6-2	8.662-656.0	56395222	8x2 Poly Wheel w/Bearing-2.5" Hub	32,38 Newer
WA-6-C	9.103-832.0/	56377945, 56377961	8 x 1-5/8 Poly Wheel w/Groove and 3/4 Bearing (2.5" Hub) Grey/Green Tread	24,26,32,38

YOUR OEM ALTERNATIVE

FLOOR CARE PARTS & ACCESSORIES

- ✓ The largest selection of parts from original equipment manufacturers
- ✓ Offering A+ top-quality aftermarket alternatives
- ✓ Unbeatable prices on great selection of parts
- ✓ No order minimum
- ✓ Technical support

SPRAYMART

500 University Court
Blackwood, NJ 08012

www.spraymart.com
info@spraymart.com
1-800-752-0177

P/N: 8.807-525.0
© 2023 Spraymart / Rev. 12/22.

Specifications and product descriptions subject to change without notice.

